

**WILMER CUTLER PICKERING
HALE AND DORR^{LLP}**

FACSIMILE

OFFICIAL

DATE

August 3, 2004

TO

Commissioner for Patents
USPTO

FAX

fax: 703-305-3590
phone:

FROM

Michael A. Diener
617-526-6454

NUMBER OF PAGES, INCLUDING COVER

2

60 STATE STREET
BOSTON, MA 02109
+1 617 526 6000
+1 617 526 5000 fax
wilmerhale.comRECEIVED
CENTRAL FAX CENTER

AUG 03 2004

MESSAGE

This facsimile transmission is confidential and may be privileged. If you are not the intended recipient, please immediately call the sender or, if the sender is not available, call +1 617-526-5413 and destroy all copies of this transmission. If the transmission is incomplete or illegible, please call the sender or, if the sender is not available, call +1 617-526-5413. Thank you.

BALTIMORE BERLIN BOSTON BRUSSELS LONDON MUNICH
NEW YORK NORTHERN VIRGINIA OXFORD PRINCETON WALTHAM WASHINGTON

Best Available Copy

2002
OFFICIAL**PATENT****IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**
(Attorney Docket No.: 81279.120)**RECEIVED**
CENTRAL FAX CENTER**AUG 03 2004**

Applicant(s): Thomas E. Wiegand
Serial No.: 10/060,158 Examiner: Not Yet Assigned
Filed: January 30, 2002 Group Art Unit: 3764
For: OPTICAL SIGNAL TRANSMISSION BETWEEN A HEARING
PROTECTOR MUFF AND AN EAR-PLUG RECEIVER

Certificate of Facsimile Transmission under 37 CFR 1.8(a)

I hereby certify that the attached Status Inquiry is being filed by facsimile to Customer Service Office in Technology Center 3764 at 703-305-3590 on

8/3/04
Date

Jody Begley
Jody Begley

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

STATUS REQUEST

Please advise us of the status of the above-referenced patent application. This application was filed on January 30, 2002, and the United States Patent Office has issued no Action since that date.

Respectfully Submitted,

Date: 8-3-04

Michael A. Diener
Michael A. Diener
Registration No. 37,122
Attorney for Applicants

WILMER CUTLER PICKERING HALE AND DORR LLP
60 State Street
Boston, MA 01209
Tel.: (617) 526-6454
Fax.: (617) 526-5000

Best Available Copy